


CERTIFICATE

| | |
|----------------------------|---|
| Certificate holder | Aliaxis UK Dickley Lane Lenham Maidstone ME17 2DE UNITED KINGDOM |
| Production facility | Dymotek, Ellington |
| Product | Air admittance valves for drainage systems |
| Type, Model | STUDOR Mini-Vent, OsmaVent 40 |
| Testing basis | DIN EN 12380:2003-03 Certification scheme Air admittance valves for drainage systems (2003-10) |
| Mark of conformity |  |
| Registration No. | 011-7B003 |
| Valid until | 2028-12-31 |
| Right of use | This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information. |

ANNEX

| | |
|--|---|
| Certificate | 011-7B003 dated 2024-02-14 |
| Technical Data | Designation: A I Airflow capacity: 7,5 l/s Airtightness tested at: 30/500/10000 Pa Range of temperature: -20 °C to +60 °C Effectiveness at temperatures below 0 °C: -20 °C |
| Testing laboratory/ Inspection body | BRE Ltd Bucknalls Lane, Garston Watford WD259XX UNITED KINGDOM NSF International Field Services 789 N. Dixboro Road Ann Arbor MI 48113 USA |
| Test report(s) | DE 661 X 215 TE 03.03.01 dated 2003-04-25 Factory inspection 320386 dated 2011-11-11 Factory inspection 320386 dated 2012-11-28 Product test 7311413-01 dated 2012-06-04 Factory inspection 3203860 dated 2013-11-01 Factory inspection dated 2014-12-17 Product test 292657 dated 2014-01-10 Factory inspection dated 2015-11-23 Factory inspection dated 2016-11-28, Product test P102977-1001 dated 2016-01-27 Factory inspection dated 2017-11-22 Product test P114319-1001 dated 2019-02-21 Factory inspection dated 2018-12-05 Factory inspection dated 2019-12-04 Factory inspection dated 2020-11-18, Product test P117819-1001 dated 2020-05-27 Factory inspection dated 2021-11-15 Factory inspection dated 2021-11-17 |



ANNEX

Page 2 of 2

Certificate

011-7B003 dated 2024-02-14

P124579-1001v2 dated 2023-01-04 (2022)
Factory inspection dated 2023-11-09